BURLINGTON'S

CLEAN WATER RESILIENCY PLAN

An Update on Infrastructure Investments and Integrated Permitting

Jenna Olson, Water Policy & Programs Manager Martin Lee, Water Resources Engineer Megan Moir, Division Director of Water Resources





"BURLINGTON ORDERS CLOSE OF TWO BEACHES AFTER WASTEWATER RELEASES.."

VTDIGGER | 2018

EXCESS PHOSPHOROUS FROM WASTEWATER & STORMWATER

IMPLEMENT PHOSPHOROUS
REDUCTIONS

AGING WASTEWATER & STORMWATER INFRASTRUCTURE


REPLACE & MODERNIZE EXISTING INFRASTRUCTURE

"CYANOBACTERIA BLOOMS CLOSE ALL OF BURLINGTON'S PUBLIC BEACHES..."

VTDIGGER | 2021

OTHER WATER QUALITY GOALS







COMBINED SEWER OVERFLOWS

Remove or store stormwater to reduce frequency of CSOs

EROSION & HABITAT IMPACTS ON URBAN STREAMS

Reduce excess stormwater flows


CLEAN WATER RESILIENCY

Improving the resiliency of our Clean Water systems through **7 key strategies** in Wastewater and Stormwater:

- 1. Investing in Wastewater Treatment Plans
- 2. Updating Wastewater Pump Stations
- 3. Relining and Rehabilitating Sewer and Stormwater Pipes
- 4. Repairing Stormwater Outfalls
- 5. Implementing Industrial Pollution Prevention Programs
- 6. Constructing Green Infrastructure
- 7. Integrated Planning to meet this generation's water quality challenges

\$30MM 2018 Bond Vote to start this work - 92% approval

RESILENCY INVESTMENTS TO DATE



Voters approved \$30 M in 2018


2018 Bond will be >80% programmed by end of 2022

List of Clean Water Resiliency Projects updated 3/9/22 Funding Type Clean Water Resiliency Bond (includes project costs that will be forgiven) Project Development Loan (includes project costs that will be forgiven) Grant italics indicate estimate Completed Efforts Type Expense SCADA (computerized controls) 425,000 Construction Disinfection Systems (all three plants) Construction 2,689,600 463,000 WWTF Planning Planning Integrated Water Quality Plan 1,272,910 Planning 1,663,802 Pump Station Upgrades Flynn & Fletcher Construction Construction CSO-GSI South End 590,402 Currently Underway CSO-GSI Old North End 117,628 Design 398,881 Industrial Pollution Prevention Program Planning Remaining Pump Stations Preliminary Engineering 350,000 Planning 3,336,190 Collection System Relining (Wastewater) Construction Construction Collection System Relining (Stormwater) 2,091,417 1,095,700 Phase II Wastewater Upgrades Design Manhattan Drive Outfall Repair 100,000 Design **Underway within 2022** Construction Phase II Wastewater Upgrades 12,000,000 Manhattan Drive Outfall Repair 1,132,000 Construction CSO-GSI Old North End 322,479 Construction 751,391 Hydraulic/Hydrologic (Sewer Capacity) Phase II Study Preliminary Design Tertiary Phosphorus Removal Treatment Pilot Study 298,832 CSO Storage Tank 247,670 Preliminary Design Total Work Completed or Programmed 29,346,902 24,214,709 Total work under voter authorized bond Bond Authorization Remaining from 2018 \$29.958M 5,743,291

RATEPAYER AFFORDABILITY

6WRAP

- Fixed Fee Waiver
 - Low-income
 - 0 65+
 - Non-Profit HousingOrganization
- Rebates
 - Sewer lateral inspections
 - WaterSense fixtures



RATE STRUCTURE ADJUSTMENTS

- Lifeline rate tier
- User class-based rates

"BURLINGTON ORDERS CLOSE OF TWO BEACHES AFTER WASTEWATER RELEASES..."

VTDIGGER | 2018



IMPLEMENT PHOSPHOROUS
REDUCTIONS

AGING WASTEWATER & STORMWATER INFRASTRUCTURE

REPLACE & MODERNIZE EXISTING INFRASTRUCTURE

"CYANOBACTERIA BLOOMS CLOSE ALL OF BURLINGTON'S PUBLIC BEACHES..."

VTDIGGER | 2021

- Completed key upgrades at all 3 wastewater treatment plants.
- Replaced the disinfection system with modern equipment.
- At Main plant, we replaced the central computer system. These were areas of our older system that led to Plant disruptions in 2018.



- Replaced 2 old pump stations
 which have in the past required
 emergency repairs costing time
 and money.
- The risk of failure of a pump station is significant and these have been critical upgrades.






Distribution and Collection System Improvements Project

Schedule: fall 2021 to fall 2022

Scope: water, collection system, paving


- Contractor: Granite Inliner
- Designer: DPW
- Resident Engineer and Project Management:
 DuBois & King
- Funding Sources: State Revolving Loan Program (SRF), Remaining 2018 Water Bond Proceeds, Water Capital, Paving Capital

Water Pipe Rehab = ~7,600 ft.
Collection System Pipe Rehab = ~48,000 ft



Higher impact project locations for 2022:

- Water Relining: Home Ave, North Prospect Street, Ledge Road, Deforest Road, and Overlake Park (if funding is available)
- Sewer Replacement: Deforest Road, North Avenue, Riverside Avenue, Greene Street, Pine Street, Lakewood Parkway, Tallwood Lane, and West Road
- Full width paving is part of work in these locations: North Prospect, Lakewood
 Parkway, and Tallwood Lane



TACKLING LEGACY INFRASTRUCTURE

Installed 15 stormwater gardens as part of the \$1M of grant funding to capture and slow a significant amount of runoff above the Pine St Combined Sewer Overflow.

Last year 3 bioretention systems were constructed in the New North End by City DPW Staff and self-funded through the stormwater enterprise fund.















- 1. Wastewater Phase II Treatment Plant Improvements
- 2. Pump Station Improvements
- 3. Additional GSI
- 4. Stormwater Outfall Improvements

RISK SCORE DISTRIBUTION - WWTP'S







- Replacement cost of each system varies
- Risk scoring is **dynamic over time** systems continue to age (i.e. something in C grade in 2022 that doesn't get replaced turns into D by 2024)

BEYOND THE 2018 CWRP BOND

- Additional \$150MM+ needed for WWTFs alone
- On-going analysis to determine magnitude of November 2022 Bond
- Consider availability of Federal Funding (loan forgiveness?)
- Consider longer term bonds (35-50 year)
- Possibility of East Plant consolidation with Main
- Consider other infrastructure \$\$
 needs too (WW, SW and Drinking
 Water)



"BURLINGTON ORDERS CLOSE OF TWO BEACHES AFTER WASTEWATER RELEASES..."

VTDIGGER | 2018

EXCESS PHOSPHOROUS FROM WASTEWATER & STORMWATER



IMPLEMENT PHOSPHOROUS
REDUCTIONS

AGING WASTEWATER & STORMWATER INFRASTRUCTURE

REPLACE & MODERNIZE EXISTING INFRASTRUCTURE

"CYANOBACTERIA BLOOMS CLOSE ALL OF BURLINGTON'S PUBLIC BEACHES..."

VTDIGGER | 2021

"Cyanobacteria conditions vary significantly among lake segments, and warm weather blooms continue to present a challenge to recreation and public health."

Lake Champlain Basin Program, 2021 State of the Lake Report

WHY DO BLOOMS HAPPEN?




TOO MANY NUTRIENTS
(CYANO FOOD)

CALM, WARM WATER

CYANOBACTERIA BLOOM

TOTAL MAXIMUM DAILY LOAD (TMDL) WHAT IS **LOAD**?




how much treated wastewater

or stormwater runoff enters a

waterbody each year








CONCENTRATION

(how much **phosphorous** is in that water)

LOAD

(how many pounds of phosphorous is **delivered** to the waterbody)




Burlington Sources 9.3 mt/yr




Burlington's Annual Phosphorous Contribution

Other Sources 232.4 mt/year of total phosphorous load to applicable segments of Lake Champlain




*Annual Average


The Economics of Lake Champlain






OTHER WATER QUALITY GOALS







COMBINED SEWER OVERFLOWS

Remove or store stormwater to reduce frequency of CSOs

EROSION & HABITAT IMPACTS
ON URBAN STREAMS

Reduce excess stormwater flows

What is Integrated Planning?

JUNE 2012 U.S. EPA INTEGRATED MUNICIPAL PLANNING FRAMEWORK




- Examine all water quality obligations as a whole while recognizing the need for on-going investment in existing infrastructure
- Identify & address community health and water quality priorities by sequencing and scheduling work with the highest cost-benefit and most community support up front
- Implement water quality solutions more efficiently, and more cost-effectively.

Other Northeast States utilizing IP:

- Connecticut
- Maine
- Massachusetts
- New Hampshire

Burlington's Phosphorous Reduction Goal



BASELINE GOAL=

10,684

lbs/year

PERFORMANCE TO DATE=

9,582

lbs/year


REMAINING TARGET*=

1,102

lbs/yeai

*Annual Average

Why the reduction target is "annual average"...



CREATING PROJECT PORTFOLIOS

- Engineering & Technical Analysis
 - Watershed characterization
 - System characterization & modeling
 - Evaluating program effectiveness
 - Project-specific cost estimates
- Combining projects into Project Portfolios
- Developing an **Evaluator Tool** to assess the benefits and impacts of portfolio options
- Completing a Financial Capability Assessment (FCA) for each Portfolio



PORTFOLIO OPTIONS OVERVIEW

1

Capital: \$25.2M O&M: \$349,328

2,586 lbs

1B

Capital: \$26.4M

O&M: \$491,068

2,738 lbs

2

Capital: \$33.8M

O&M: \$378,328

4,080 lbs

2B

Capital: \$35.1M

O&M: \$520,068

4,232 lbs

3

Capital: \$32.1M

O&M: \$703,185

1,273 lbs

> FLOW RESTORATION PLAN PROJECTS <
> STRUCTURAL STORMWATER CONTROLS IN COMBINED SEWER AREAS <
> STORMWATER OUTFALL REHABILITATION <



DRY WEATHER TERTIARY
TREATMENT

DUAL-USE WET WEATHER
TREATMENT

OPTIMIZATION ONLY



PINE STREET CSO STORAGE TANK

additional sw retrofits + expanded nonstructural programs

additional sw retrofits + sw program enhancements

all identified stormwater retrofits + maximum level of nonstructural programs

PREFERRED PORTFOLIO

1

Capital: \$25.2M

O&M: \$349,328

2,586 lbs

1B

Capital: \$26.4M

O&M: \$491,068

2,738 lbs

2

Capital: \$33.8M

O&M: \$378,328

4,080 lbs

2B

Capital: \$35.1M

O&M: \$520,068

4,232 lbs

3

Capital: \$32.1M

O&M: \$703,185

1,273 lbs

> FLOW RESTORATION PLAN PROJECTS <
> STRUCTURAL STORMWATER CONTROLS IN COMBINED SEWER AREAS <
> STORMWATER OUTFALL REHABILITATION <

DRY WEATHER TERTIARY
TREATMENT

DUAL-USE WET WEATHER
TREATMENT

OPTIMIZATION
ONLY

PINE STREET CSO STORAGE TANK

additional sw retrofits + expanded nonstructural programs

additional sw retrofits + sw program enhancements all identified stormwater retrofits + maximum level of nonstructural programs


Proposed Phosphorous Performance



BEYOND PHOSPHORUS CONTROL: CSO REDUCTIONS

Near term:

- Pine Street CSO Storage Tank (5 year level of control)
- Additional flow metering to refine
 H/H model in areas with capacity
 concerns
- Basement Surcharge Prevention
 Program



BEYOND PHOSPHORUS CONTROL: URBAN STREAM FLOW RESTORATION

- Prioritize Flow Reduction Projects that have high Phosphorus removal
 - Gravel wetland for Price Chopper Plaza
- High Cost Benefit projects
 - "Smart" valve retrofit for existing detention pond
- Projects with grant support



Next Steps

WHAT TO EXPECT



2022-2023

DESIGN & ENGINEERING


WWTP Tertiary Pilot
Pine Street CSO Tank
H/H Work



2022

DEC PERMIT APPROVAL

Following Public
Notice Process




2023-2024

CONSTRUCTION OF
PRIORITY
PROJECTS

Main WWTP Tertiary
Pine Street CSO Tank

Funding Challenges

- At least \$175M + of WW/SW need
- On-going ratepayer affordability is key
- Financing vs. Funding
- Federal Infrastructure Bill will increase...
 - availability of financing
 - availability of loan forgivness (not guaranteed)
- Drinking Water also has deferred capital needs
- Consider costs of inaction



QUESTIONS?

MARTIN LEE, P.E.

Water Resources Engineer mlee<u>aburlingtonvt.gov</u>

JENNA OLSON


Water Resources Policy & Programs Manager jolson@burlingtonvt.gov

MEGAN MOIR

DPW Division Director - Water Resources <u>mmoir@burlingtonvt.gov</u>

<u>burlingtonvt.gov/water/integratedplan</u>





Phosphorous Reduction Associated with Tertiary Treatment at Main Plant



Phosphorous Reduction Associated with Stormwater Projects



"The monitoring and adaptive management plan...
provides a framework for continued progress towards the Plan's goals, in a manner that meets regulatory needs, encompasses community and financial characteristics, and supports effective decision-making."

Burlington Integrated Water Resources Plan Report, 2021

Monitoring Plan & Adaptive Management

MEASURING SUCCESS & EVALUATING PERFORMANCE

Performance Indicators



- Capital projects implemented
- Pollution prevention
- Conveyance system maintenance
- Treatment system maintenance



- WWTP effluent characteristics
- Combined Sewer Overflows
- Sewage backups / sanitary sewer overflows
- P-load reduction
- Stream flow restoration
- Waterfront & on-water recreation
- Community engagement
- Community livability & resilience
- Clean streets



- Outside resources
- Capital investments
- O&M / programmatic investments
- Affordability

Stakeholder Advisory Group

- Ad hoc committee
- Geographic representation across neighborhoods
- Organizations with interests linked to IP projects (i.e. BPRW)
- Will act as an 'intake point' for staff updates, monitoring information, financial reports, and community issues raised around IP projects
- First step in decision-making process for adaptive management

